

Event Summary - Fusion Instrument & Slicemaster

Type	Invitation to Bid	Number	02QATAR-ITB-1725
Stage Title	-	Organization	TAMU
Currency	US Dollar	Event Status	Awarded
Work Group	TAMU-Qatar	Exported on	10/31/2019
Exported by	Patricia Winkler	For Requisition	124210355
Created Document	-	Estimated Value	48,733.70 USD
Payment Terms	-		

Bid and Evaluation

Respond by Proxy	Allow	Use Panel Questionnaire	No
Sealed Bid	Yes	Auto Score	No
		Cost Analysis	No
Alternate Items	No		

Visibility and Communication

Visible to Public Yes


Enter a short description for this public event

Fusion Instrument and Slicemaster for the Texas A&M University at Qatar campus located in Doha, Qatar.

Commodity Codes

None Added

Event Dates

Time Zone	CDT/CST - Central Standard Time (US/Central)
Released	-
Open	10/14/2019 12:00 AM CDT
Close	10/28/2019 2:00 PM CDT
Sealed Until	10/28/2019 2:00 PM
	 Show Sealed Bid Open Date to Supplier
Q&A Close	10/28/2019 2:00 PM CDT

Description

Fusion Instrument and Slicemaster for the Texas A&M University at Qatar campus located in Doha, Qatar.

Attention Bidders:

Texas A&M, Procurement Services is transitioning to an E-commerce system for all invitation for bids and purchase orders. We are asking all vendors to take a few moments and register as one of our vendors. This will allow you to respond to our bid invitations electronically as well as view other bid opportunities.

Please visit the following website to register:

<https://bids.scquest.com/apps/Router/PublicEvent?CustomerOrg=TAMU>

If you have any questions in reference to registrations, please contact us at 979-845-2325.

All invitation for bid documents not submitted electronically via the AggieBid system will only be accepted via the following methods:

-Email - tamuaggiebid@tamu.edu

-Express Mail (FedEx, UPS, etc.)

-US Postal Service

-Hand Delivered

All invitation for bid documents not submitted electronically via the AggieBid system must be returned on our form.

As a bidder responding to this invitation upon submission of your response, regardless of the format of your submission, you and the entity you represent are agreeing to the terms and conditions presented here as well as the TAMU terms and conditions located

at <http://purchasing.tamu.edu/media/123743/bidtamu.pdf>

Physical Address:

Texas A&M University

Procurement Services

Agronomy Road

College Station TX 77843-1477

Fax - 979-845-3800

NOTE: If responding manually, please submit with your bid response a W9. This will allow us to enter your company into our bid system and include your response on the electronic tabulation.

Stage Description

No description available.

1 ★ Instructions To Supplier :

Please acknowledge that additional terms and conditions have been reviewed

Prerequisite Content:

Note To Bidders

Award

The award shall be made based on the following "Best Value Criteria". Texas A&M reserves the right to consider the following and any other factor deemed necessary to evaluate the offer and determine the "Best Value" for the University.

- Vendor's ability to meet the minimum specifications;
- Delivery requirement;
- Warranty terms;
- Acceptance of payment terms;
- Experience/past experience with vendor;
- The quality, availability and adaptability of equipment offered to required application.
- Quality of performance of previous services;
- The acquisition price.

Texas A&M University reserves the right to accept or reject any or all bids, to waive informalities and technicalities, to accept the offer considered the most advantageous to the University

Texas A&M University reserves the right to make the decision as to what system best meets the minimum specifications and which system best suits the needs of the university. Texas A&M's decision is final.

Certification

I certify that I have read and agree to the terms above.

Supplier Must Also Upload a File:

No

Buyer Attachments

Detailed Specifications	02Qatar-ITB-1725.docx	../Attachments/02Qatar-ITB-1725.docx
TAMU Standard Terms & Condition		http://purchasing.tamu.edu/media/123743/bidtamu.pdf

Page 1

Group 1

- | | | |
|--|--|---|
| 1.1 | Payment Terms - Quote 100% Net 30 Upon Receipt and Acceptance. If quoting as specified, type "Agreed" in the required field. If quoting otherwise, indicate here-in.
Text (Single Line) | ★ |
| 1.2 | Delivery Terms: Quote delivery time, upon receipt of each order
Text (Single Line) | ★ |
| 1.3 | Shipping Terms - indicate incoterm offered - DAP, DPP, EXW, etc.
Text (Single Line) | ★ |
| <p>INDICATE CURRENCY QUOTED:
 NON-QATAR VENDORS: Please bid in your local currency (bank account currency).
 FOR QATAR VENDORS, Please bid in Qatari Riyals (QAR).</p> | | |
| 1.4 | Currency Quoted*:

*Indicate USD, QAR, GBP, EUR, etc
Text (Single Line) | ★ |
| 1.5 | Bidders shall submit descriptive literature and detailed specifications of product offered. Failure to do so may result in the disqualification of your response.
File Upload | ★ |
| 1.6 | Warranty Terms:
Indicate warranty terms of product offered
Text (Single Line) | ★ |
| 1.7 | Vendor to indicate contact person and contact phone and fax numbers where orders are to be placed: Contact: Telephone Number: Fax Number: Email:
Text (Multi-Line) | ★ |

Product Line Items

★ Required Product Line Items

Group P1

#	Item Name, Commodity Code, Description	★	Qty.	UOM	Target Price	Allow Alternates	Requested Delivery
P1.1	Fusion Instrument 23151603 - Fusion welding or glass drawing machines 5753 <\$5k, 8425 / Fusion Instrument per detailed speciifications	★	1	EA - Each	-		-
P1.2	Mold Holder 23151603 - Fusion welding or glass drawing machines 5753 <\$5k, 8425 / Mold Holder per detailed specifications	★	1	EA - Each	-		-
P1.3	Flat Bottom Crucible 23151603 - Fusion welding or glass drawing machines 5753 <\$5k, 8425 / Flat Bottom Crucible per detailed specifications	★	1	EA - Each	-		-
P1.4	Claisse Heavy 30mm Casting Dish 23151603 - Fusion welding or glass drawing machines 5753 <\$5k, 8425 / Claisse Heavy 30mm Casting Dish per detailed specifications	★	1	EA - Each	-		-
P1.5	Lithium Tetraborate 12000000 - Chemicals including Bio Chemicals and Gas Material 4040 / Lithium Tetraborate per detailed specifications	★	1	KG - Kilogram	-		-
P1.6	Lithium Iodide 12000000 - Chemicals including Bio Chemicals and Gas Material 4040 / Lithium Iodide per detailed specifications	★	250	G - Gram	-		-
P1.7	Training 23151603 - Fusion welding or glass drawing machines 5753 <\$5k, 8425 / Training, per detailed specifications	★	3	DAY - Day	-		-
P1.8	Slicemaster 78121603 - Freight fee 5650 / Slicemaster per detailed specifications	★	1	EA - Each	-		-
P1.9	Shipping 20101500 - Cutting equipment 5753 <\$5k, 8425 / Shipping - indicate incoterm offered and estimated shipping cost	★	1	LO - Lot	-		-

Service Line Items

There are no Items added to this event.

Reference AggieBid # 02QATAR-ITB-1725
Fusion Instrument & HW-1 Slicemaster – Multi-Angle-Slicer

Item #	Item & Description	Qty	Unit	Unit Price	Extension	Delivery (Days)
	<p>Texas A&M University at Qatar is seeking bids for a Fusion Instrument & HW-1 Slicemaster – Multi Angle Slicer</p> <p>Upon award, item will be for use and delivery to the Texas A&M University at Qatar campus located in Doha, Qatar.</p> <p>Shipping Terms for Non-Doha vendors: Incoterm - DAP (Delivery At Place), Vendor will deliver the goods DOOR-TO-DOOR to TAMUQ excluding Duties & Taxes and Including Custom Clearance. TAMUQ is responsible for Duties, Taxes, Legalization and Bayan.</p> <p>Shipping Terms for Doha vendors: Incoterm - DDP (Delivery Duty Paid), Vendor will deliver the goods DOOR-TO-DOOR to TAMUQ including Duties, Taxes and Customs Clearance. No additional charge will to T AMUQ.</p> <p>For shipping terms DDP: Qatar Customs has implemented an automated electronic clearance process called "Single Window", and all incoming shipment will be subject to BAYAN & Admin Charge. For shipping terms DDP, all customs charges will be borne by the vendor.</p> <p>TAMUQ will not be responsible for these charges with your shipping agent</p> <p>For any shipping related concerns, please contact: shippingreceiving@qatar.tamu.edu</p> <p>PLEASE NOTE (for reference only): Qatar Customs requires ALL original shipping documents (depending on which shipment mode) as per below list. Please check and confirm with your shipping agent if these documents are required to be provided to their local clearing agent to clear the shipment from Qatar Customs:</p>					

1477 TAMU
P.O. Box 30013
College Station, TX 77842-3013

Tel. 979.845.4570 Fax. 979.845.3800
<http://purchasing.tamu.edu>

Item #	Item & Description	Qty	Unit	Unit Price	Extension	Delivery (Days)
	<ul style="list-style-type: none"> Original Certificate of Origin stamped from Chamber of Commerce Original Commercial Invoice stating each item (price/original made/quantity) stamped from Chamber of Commerce Packing List Airway Bill <p>All information MUST be the same on each of the above documents. If information is different, the shipment will not clear Qatar Customs.</p> <p>Payment Terms: 100% Net 30 upon receipt of goods, invoice, completion of installation, acceptance, whichever is later.</p> <p>Items to be shipped to Texas A&M University at Qatar, Doha, Qatar.</p> <p>*****</p> <p>*INDICATE CURRENCY QUOTED: NON-QATAR VENDORS: Please bid in your local currency (bank account currency).</p> <p>FOR QATAR VENDORS, Please bid in Qatari Riyals (QAR).</p> <p>Currency Quoted*:</p> <p>_____</p> <p>*Indicate USD, QAR, GBP, EUR, etc</p>					
	FUSION INSTRUMENT					
1.	<p>FUSION INSTRUMENT, Leneo Product #9411 004 10004 or equivalent meeting the following minimum specifications.</p> <p>LeNeo fusion instrument is automatic and it has one fusion position. It can be used to produce glass disks (for XRF analysis), borate solutions and peroxide fusions (for ICP analysis). It is ready to use right out of the box since it is small, compact and easy to install. Its safety door is locked during the entire fusion process. It protects against heat and the automated pouring avoids the manipulation of hot vessels, thus enhancing the operators safety.</p>	1	EA			

Item #	Item & Description	Qty	Unit	Unit Price	Extension	Delivery (Days)
2.	MOLD HOLDER One mold holder for fusion instrument. to be used with 30 mm diameter platinum molds.	1	EA			
3.	FLAT BOTTOM CRUCIBLE (PT-AU5) 25 ML, 30 G NOMINAL WEIGHT Pt-Au(5%) crucible, volume capacity of 25 ml, weight approximately 30 g. This platinum-gold alloy is universally accepted as the material of choice for crucibles and casting molds for XRF analysis. It has higher temperature resistance than pure platinum and has a non-wetting property that allows an easy removal of sample after fusion. The crucible has round internal walls, rim on the outside and a flat bottom.	1	EA			
4.	CLAISSE HEAVY 30 MM CASTING DISH Casting dish made of 1.0 mm thick Pt-Au (95/5), weight approximately 27 g, for 30 mm diameter beads. This platinum- gold alloy is universally accepted as the material of choice for crucibles and casting molds for XRF analysis. It has higher temperature resistance than pure platinum and has a non- wetting property that allows an easy removal of sample after fusion.	1	EA			
5.	L-ITHIUM TETRABORATE 49.75% LITHIUM TETRABORATE / 49.75% LITHIUM METABORATE / 0.50% LITHIUM BROMIDE, PRE-FUSED FLUX, PURE GRADE 1 KG.	1	KG			
6.	LITHIUM IODIDE, NWA-CRYSTAL, 250 G	250	G			
7.	Training Training shall include three (3) days of demonstrations of the proper operating techniques of equipment ordered to at least two (2) individuals designed by the end user. The demonstration shall include basic training on the proper operation of the equipment provided.	3	DAY			

Item #	Item & Description	Qty	Unit	Unit Price	Extension	Delivery (Days)
	Insurance Requirements: The successful vendor will, at its sole cost and expense, acquire and maintain in effect during the period of the Agreement, general and professional liability insurance and any employee compensation insurance as may be required by the laws of the country in which the successful vendor is organized. Bidders shall submit a copy of insurance certificate with bid response for review by System Office of Risk Management with bid response.					
	SLICEMASTER HW-1 MULTI-ANGLE SLICER					
8.	SLICEMASTER HW-1 MULTI-ANGLE SLICER The HW-1 multi-angle slicer can cut samples at any angle from 45 to 90°. Various types of samples can be prepared with thin section thickness of 10 to 500µm, with the ability to select the desired sample thickness.	1	EA			
9.	Shipping and handling* <hr/> *Please indicate, DDP, DAP, Ex-Works, etc	1	LOT			
	Note To Bidders: Product Offered: Bidders shall submit descriptive literature and detailed specifications of product offered. Failure to do so may result in the disqualification of your response. Warranty Terms: Indicate warranty terms of product offered: <hr/> Award The award shall be made based on the following "Best Value Criteria". Texas A&M reserves the					

Item #	Item & Description	Qty	Unit	Unit Price	Extension	Delivery (Days)
	<p>right to consider the following and any other factor deemed necessary to evaluate the offer and determine the "Best Value" for the University.</p> <ul style="list-style-type: none"> -Vendor's ability to meet the minimum specifications; -Delivery requirement; -Warranty terms; -Acceptance of payment terms; -Experience/past experience with vendor; -The quality, availability and adaptability of equipment offered to required application. -Quality of performance of pervious services; -The acquisition price. <p>Texas A&M University reserves the right to accept or reject any or all bids, to waive informalities and technicalities, to accept the offer considered the most advantageous to the University</p> <p>Texas A&M University reserves the right to make the decision as to what system best meets the minimum specifications and which system best suits the needs of the university. Texas A&M's decision is final.</p>					