10/19/21, 9:21 AM Fax



# **Sales Tax Exemption**

Texas A&M University is exempt from state and municipal sales taxes under Chapter 20 Title 122A, revised Civil Statutes of Texas, for all purchases made for the exclusive use of Texas A&M.

The laws of the State of Texas shall govern this Purchase

Member of the Texas A&M University System.

Purchase Order						
Purchase Order Date	PO/Reference No.	Revision No.				
Oct 15, 2021	AB0661327	0				

### Contact instructions for questions regarding this Purchase Order:

If Buyer Contact information is listed below, please contact the Buyer.

If not, please contact the Customer.

## **Buyer Contact:**

Buyer	Buyer Email	Buyer Phone Number	
jan - Nelms, Jim	janelms@tamu.edu	979.845.3819	
Customer Contact:			

Name: Marissa Ocampo

Email: MOCAMPO@CVM.TAMU.EDU

Phone:

## **Order acceptance instructions:**

# For Order Acceptance Instructions applicable to this PO, see the "Notes to Supplier" section

Sup	plier Information	Deliv	ery Information
Supplier Name	AGILENT TECHNOLOGIES	Delivery Address	
Address	SALES AND SERVICE CENTER 2850 CENTERVILLE ROAD WILMINGTON, Delaware 198081610 United States	TAMUS Member: Attn Small Animal Clinical Sciences	02-Texas A&M University (02) Sarah Read
Phone Fax	+1 800-227-9770 +1 302-993-5941	Small Animal Hosp Room	GI Lab
FOB / FREIGHT Pre-Pay & Add	Destination Yes	4474 TAMU College Station, TX 77843-4474 United States	
Payment Terms Contract Number - Header	0, Net 30 Agilent Contract: G8S85	<b>Delivery Information</b> Required Delivery Date	
Contract Number - Line Quote number	no value	Ship Via	Best Carrier-Best Way

### **Notes to Supplier**

### **Shipping Instructions**

Note to Supplier

Covers period until Installation is complete. Insurance Requirement: The vendor is required to maintain and provide proof of insurance, in the amounts indicated in Attachment A with Texas A&M University listed as an additional insured party, with TAMU Procurement Services during the duration of the agreement. Submit a copy of your valid COI to the following: Texas A&M University Procurement Services PO Box 30013 College Station TX 77842-3013 Cancellation: Texas A&M University reserves the right to immediate cancellation, without any penalty, due to non-performance. In the event of termination, a pro-rated reimbursement for services not rendered shall be due back to Texas A&M University.

Attachments for supplier

RSP Customer Lett... Quote 3707361\_RSP... Quote 3707359\_647... APPENDIX A - Vend...

### **PO Clauses**

Neither COD nor "Collect" freight or handling charges will be accepted. Header No Collect Freight

10/19/21, 9:21 AM Fax

	Charges Accepted	
100	Order Acceptance Instructions - TAMU	Vendor guarantees that the products delivered, or the services performed, as a result of this Purchase Order will meet or exceed all specifications herein. Any exceptions to the pricing or the description contained herein must be approved by Texas A&M's Department of Procurement Services in writing prior to shipping or performance. This Purchase Order is governed by the laws of the State of Texas and Texas A&M's Terms & Conditions (the version that is effective as of the Purchase Order Date or the Revision Date specified above, whichever is later), which are incorporated into and made a material part of any Purchase Order issued by Texas A&M.
102	Terms & Conditions - TAMU	Terms & Conditions - Texas A&M University -This purchase order is issued on behalf of Texas A&M University and is governed by the Terms & Conditions found online: http://purchasing.tamu.edu/_media/tamu-bid-terms1.pdf

Line No.	Product Description	Catalog No.	Size / Packaging	Unit Price	Quantity	Ext. Price	Discount
1 of 28	6470 Triple Quadrupole LC/MS System. Includes: 6470 LC/TQ, workstation PC and MassHunter SW with 2 data analysis licenses, installation+ familiarization training, and 1Y SW upgrade/phone assist	G6470BA	EA	336,320.44 USD	1 EA	336,320.44 USD	0.00 USD
2 of 28	1290 Infinity Multisampler up to 1300 bar for well plates	G7167B	EA	0.00 USD	1 EA	0.00 USD	0.00 USD
	and individual sample containers. Includes 1 sample drawer, 2x 54-vial containers, aneedle flush port, 40 uL metering device, 20 uL loop. (for Dual-needle instruments metering is 100 ul and loop						
		ı	'	'		'	
3 of 28	1290 Infinity II Multicolumn Thermostat.Capacity up to 8 columns, temperaturerange 4 deg C. to 110 deg C. Includes1.6uL Quick-Connect HeatExchanger, Quick-Connect fitting and twoQuick-Turn fittings. Valve drive optional.	G7116B	EA	0.00 USD	1 EA	0.00 USD	0.00 USD
		ı					
4 of 28	Blank Nut V-M4	5067-6141	EA	0.0025 USD	4 EA	0.01 USD	0.00 USD
		ı					
5 of 28	2pos/6port valve head, 1300bar Includes 1300 bar Quick Change Valve head, capillary kit optionally available.	G4231C	EA	0.00 USD	2 EA	0.00 USD	0.00 USD
6 of 28	QQQ Operation Training	R1893A	EA	0.00 USD	1 EA	0.00 USD	0.00 USD
		ı	<u>'</u>	'		'	
7 of 28	PEAK Nitrogen Generator System, including install. For model specific information, consult ELSA N2 generator ordering guide. For extendedwarranty and support service, contact PEAK directly. www.peakscientific.com	G1953A	EA	0.00 USD	1 EA	0.00 USD	0.00 USD
		ı					
8 of 28	Online SPE Capillary Starter Kit	5067-4294	EA	0.00 USD	1 EA	0.00 USD	0.00 USD
9 of 28	Solvent inlet filter, stainless steel Solvent inlet filter, stainless	01018-	EA	0.00 USD	6 EA	0.00 USD	0.00 USD
	steel for external channel only.	60025					
10 of 28	1290 Infinity II inline filter (0.3um)	5067-6189	EA	0.00 USD	2 EA	0.00 USD	0.00 USD

11 of 28	Frit for 1290 Inline Filter, 0.3um, 5/pk	5023-0271	PK	0.00 USD	1 PK	0.00 USD	0.00 USD
	The far 1230 million rines, oldaring 5, px	1		0.00 000		0.00	0.00 000
2 of 28	Waste can GL45, 6L + GL45 4 ports capInfinityLab Waste can GL45, 6L + GL45 4 ports cap, includes one 6 liter Lab Waste can and one Stay SafeCap GL45 4 ports for waste	5043-1221	EA	0.00 USD	1 EA	0.00 USD	0.00 USE
13 of 28	2 Stg Rgltr,brs,125psi,CGA580,1/8in,ftg2 Stage Regulator ,brass body, StainlessSteel diaphrams,125 psi max,CGA580,Helium, Argon, Nitrogen; comes with 1/8"fitting;For 1/4" tubing purchase a 1/4" adapter	5183-4644	EA	0.00 USD	2 EA	0.00 USD	0.00 USE
4 of 28	Poroshell 120 HILIC-Z,2.1x150mm,2.7um,T	683775-924	EA	0.00 USD	1 EA	0.00 USD	0.00 USE
15 of 28	P120 EC-C18,2.1x100mm,2.7um,1000bar,T	695575-902	EA	0.00 USD	1 EA	0.00 USD	0.00 USE
16 of 28	Poroshell 120 CS-C18,2.1x100mm,2.7um,T	695775-942	EA	0.00 USD	1 EA	0.00 USD	0.00 USD
17 of 28	nfinityLab Poroshell 120 SB-C8, 2.1 x100 mm, 2.7 um narrow bore LC columnwith Column ID	685775- 906T	EA	0.00 USD	1 EA	0.00 USD	0.00 USD
18 of 28	Stay Safe Purging Bottle	5043-1339	EA	0.00 USD	1 EA	0.00 USD	0.00 USD
19 of 28	High Perf. ZORBAX Guard Fittings Kit	820999-901	EA	0.00 USD	1 EA	0.00 USD	0.00 USD
20 of 28	Capillary Kit 1290 Infinity IlInfinityLab Capillary Kit for 1290 Infinity II LC, includes system capillaries, Quick Connect and Quick Turn fitting, PEEK fittings, restrictions capillary,blank nut	5067-6615	EA	0.00 USD	1 EA	0.00 USD	0.00 USE
		1					
21 of 28	1260 Infinity II Diode Array Detector WR. Provides 120Hz data acquisition rate RFID tags for flow cell and lamp. Includes long-life deuteriumand tungsten lamp. Flow cell must be ordered as option.	G7115A	EA	0.00 USD	1 EA	0.00 USD	0.00 USE
22 of 28	Flexible Spend Plan CMS	FS-CMS	EA	0.00 USD	3,000 EA	0.00 USD	0.00 USD
23 of 28	Method and Application ConsultingOn-site consulting for a maximum of 4participants. Certificates and manualsnot included.	H2149A	EA	0.00 USD	1 EA	0.00 USD	0.00 USE
24 of 28	Method and Application ConsultingOn-site consulting for a maximum of 4participants. Certificates and manualsnot	H2149A	EA	0.00 USD	1 EA	0.00 USD	0.00 USE

10/19/21, 9:21 AM Fax

25 of 28	6470 QQQ LC/MS System Enhanced	SYS-LM- 6470B-E	EA	0.00 USD	1 EA	0.00 USD	0.00 USD
		I					
26 of 28	1260 Infinity II Binary Pump, maximum pressure 600bar. Includes binary pump with integrated 2-channel degassing unit, column, connectingcapillaries, solvent cabinet, solvent bottles and CAN cable.	G7112B	EA	28,438.04 USD	1 EA	28,438.04 USD	-28,438.04 USD
27 of 28	1290 Infinity II Valve Drive, supporting allInfinityLab Quick	G1170A	EA	4,527.00 USD	1 EA	4,527.00 USD	-4,527.00 USD
	Change valve heads, built-inpower supply	I		03D		USD	USD
28 of 28	1290 Infinity II High Speed Pump. Power range 1300 bar and 5ml/min flow, binary high pressure mixing, lowest delay, highest precision andaccuracy. Includes Active Seal Wash, Tool Kit, Solvent Cabinet, bottles and ISET	G7120A	EA	49,204.05 USD	1 EA	49,204.05 USD	-49,204.05 USD
		1					
				_	ubtotal iscount	•	<b>89.54</b> 169.09
				_	otal	•	20.45 USD

Billing Information	Billing Address
To assure timely payment please e-mail invoices to the email provided in the bill to address. If the invoice is sent via email, please do not send a duplicate copy through the mail. Only if email is not an option then submit invoices to the billing address indicated in the "Billing Address" section. To inquire about electronic invoicing via cXML, CSV or PO flip through the supplier portal, e-mail vendorhelp@tamu.edu.  Invoice must include the PO/Reference number shown above.	Texas A&M University-EDM  ***Do Not Mail Invoices***  Email invoices to tamu.invoices@edmgroup.com  PO BOX 3687  Scranton, PA 18505  United States